UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/522,510	03/10/2000	Youfeng Wu	884.258US1	5136

7590   02/13/2003

Schwegman Lundberg Woessner & Kluth P a
P O Box 2938
Minneapolis, MN   55402

EXAMINER
WOOD, WILLIAM H

ART UNIT	PAPER NUMBER
2124	

DATE MAILED: 02/13/2003

Please find below and/or attached an Office communication concerning this application or proceeding.

PTO-90C (Rev. 07-01)

Office Action Summary	Application No. 09/522,510	Applicant(s) WU, YOUFENG
	Examiner William H. Wood	Art Unit 2124

-- *The MAILING DATE of this communication appears on the cover sheet with th correspondence address* --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE <u>3</u> MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

1)☒ Responsive to communication(s) filed on <u>22 November 2002</u> .

2a)☐ This action is **FINAL**.   2b)☒ This action is non-final.

3)☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

4)☒ Claim(s) <u>1-28</u> is/are pending in the application.

4a) Of the above claim(s) _____ is/are withdrawn from consideration.

5)☐ Claim(s) _____ is/are allowed.

6)☒ Claim(s) <u>1-28</u> is/are rejected.

7)☐ Claim(s) _____ is/are objected to.

8)☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

9)☐ The specification is objected to by the Examiner.

10)☒ The drawing(s) filed on <u>10 March 2000</u> is/are: a)☐ accepted or b)☒ objected to by the Examiner.

Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).

11)☐ The proposed drawing correction filed on _____ is: a)☐ approved b)☐ disapproved by the Examiner.

If approved, corrected drawings are required in reply to this Office action.

12)☐ The oath or declaration is objected to by the Examiner.

Priority under 35 U.S.C. §§ 119 and 120

13)☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).

a)☐ All b)☐ Some * c)☐ None of:

1.☐ Certified copies of the priority documents have been received.

2.☐ Certified copies of the priority documents have been received in Application No. _____ .

3.☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

14)☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).

a) ☐ The translation of the foreign language provisional application has been received.

15)☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.

Attachment(s)

1) ☒ Notice of References Cited (PTO-892)

2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)

3) ☒ Information Disclosure Statement(s) (PTO-1449) Paper No(s) <u>2 and 3</u> .

4) ☐ Interview Summary (PTO-413) Paper No(s). _____ .

5) ☐ Notice of Informal Patent Application (PTO-152)

6) ☐ Other: .

DETAILED ACTION

Claims 1-28 have been examined.

Information Disclosure Statement

1.   The Information Disclosure Statements filed on 10 March 2000 and 26 November 2002 have been considered.

Drawings

2.   The drawings submitted were approved by the draft person.

3.   The drawings are objected to under 37 CFR 1.83(a) because they fail to show "predicate register" as described in the specification. Any structural detail that is essential for a proper understanding of the disclosed invention should be shown in the drawing. MPEP § 608.02(d). A proposed drawing correction or corrected drawings are required in reply to the Office action to avoid abandonment of the application. The objection to the drawings will not be held in abeyance.

Claim Rejections - 35 USC § 102

4.   The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

> A person shall be entitled to a patent unless –
>
> (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

5.   Claim 11 is rejected under 35 U.S.C. 102(b) as being anticipated by Hall, "Call Path Profiling" published in 1992.

In regard to claim 11, Hall disclosed the limitations:

i) *periodically sampling registers to obtain register values* (page 299, section 5;

indicates sampling profilers)

ii) *storing an occurrence frequency of the register values in a data structure* (page

299-300, section 5)

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all

obviousness rejections set forth in this Office action:

> (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

6.   Claims 1-2, 5 and 8-10 are rejected under 35 U.S.C. 103(a) as being

unpatentable over Connors et al., "Compiler-Directed Dynamic Computation Reuse:

Rational and Initial Results" in view of Rodiger et al. (USPN 5,960,198).

In regard to claim 1, Connors disclosed the limitations:

i) *computer-implemented method of profiling software* (page 158, Abstract; page

164-165, section 4.2)

ii) *identifying a candidate reuse region* (page 164, section 4)

iii) *determining an input set for the candidate reuse region* (page 162-163, section

3.1)

iv) *profile set-values for the input set* (page 162-165, section 3.1 and section 4.2)

Connors did not explicitly state *instrumenting* the code for profiling. Roediger

demonstrated that it was known at the time of invention to use instrumenting profilers

(column 3, line 63 to column 4, line 13). It would have been obvious to one of ordinary

skill in the art at the time of invention to implement Connors' profiler with instrumentation

in order to acquire the needed information as found in Roediger's teaching. This

implementation would have been obvious because one of ordinary skill in the art would

be motivated to use a well known method of profiling to gather specifically required

information. *Executing the instrumented software* is a step in profiling instrumented

software (Roediger: column 4, liens 14-31).

In regard to claim 2, Connors and Roediger disclosed the limitations:

> [i] *identifying a candidate load instruction within the candidate reuse region*
>
> (Connors: page 164-165, section 4.2)
>
> [ii] *instrumenting* (as above in claim 1) *the software to profile location-values for*
>
> *the candidate load instruction* (Connors: page 164-165, section 4.2)

In regard to claim 5, the rejection of claim 1 is incorporated and further Connors and

Roediger disclosed the limitation *wherein instrumenting comprises inserting instructions*

to periodically sample set-values (Connors: page 162-163, section 3.1; page 164-165,

section 4.2; Roediger: column 3, lines 63 to column 4, lines 13; sampling is also

common to compilers).

In regard to claim 8, Connors disclosed the limitation *further comprising selecting the candidate reuse region as a computation reuse region* (page 165, section 4.3).

In regard to claims 9 and 10, claim 9 is a machine readable medium claim corresponding to the method claim 1 and rejected under the same reason set forth under claim 1. The claim 10 is a machine readable claim corresponding to claim 5 and are rejected based upon the claim 1 rejection and the reasoning of claim 5.

7.   Claims 3-4, 6, 11-12 and 14-15 are rejected under 35 U.S.C. 103(a) as being unpatentable over Connors et al., "Compiler-Directed Dynamic Computation Reuse: Rational and Initial Results" in view of Roediger et al. (USPN 5,960,198) as applied to claim 1 and in further view of "Dictionary of Computing" herein referred to as Computing.

In regard to claim 3, Connors of claim 1 disclosed the limitations:

   [i] *wherein the input set comprises a plurality of input registers* (page 162-163, section 3.1)

   [ii] *each set-value comprises an input register value for each of the plurality of input registers* (page 162-163, section 3.1)

Connors did not explicitly state *for each set-value, combining each of the input register values into a single value.* This is merely a key into hashing. Computing demonstrated that it was known at the time of invention to use a key to access a table of information

(page 221; *hashing*). It would have been obvious to one of ordinary skill in the art at the time of invention to implement Connors' storage of reuse information with the ability to use a single value (key) to access such information as found in Computing's teaching. This implementation would have been obvious because one of ordinary skill in the art would be motivated to utilize a well-known technique of storing and accessing information quickly and easily.

In regard to claim 4, neither Connors nor Roediger disclosed the limitations *wherein combining comprises folding each of the input register values to create folded values* and *concatenating the folded values.* Computing demonstrated that it was known at the time of invention to utilize folding and hashing using a key value (page 196 and 221; *folding* and *hashing*). It would have been obvious to one of ordinary skill in the art at the time of invention to implement Connors's system with folding and hashing as found in Computing's teaching. This implementation would have been obvious because one of ordinary skill in the art would be motivated to use simple direct and quick methods to access information.

In regard to claim 6, Connors disclosed the limitations:

   i) *wherein the input-set comprises a plurality of input registers* (page 162-163, section 3.1)

   ii) *each set-value comprises an input register value for each of the plurality of input registers* (page 162-163, section 3.1)

Connors did not explicitly state *for each set-value, combining each of the input register values into a single value*. Computing demonstrated that it was known at the time of invention to use a key to access a table of information (page 221). It would have been obvious to one of ordinary skill in the art at the time of invention to implement Connors' storage of reuse information with the ability to use a single value (key) to access such information as found in Computing's teaching. This implementation would have been obvious because one of ordinary skill in the art would be motivated to utilize a well-known technique of storing and accessing information quickly and easily. Connors' Computation Reuse Buffer is the data structure indexed into with the single value (page 162-163, section 3.1).

In regard to claim 11, Connors disclosed the limitation *storing an occurrence frequency of the register values in a data structure* (page 162-163, section 3.1). Connors did not explicitly state *periodically sampling registers to obtain register values*. Computing demonstrated that it was known at the time of invention to sample periodically (page 431, top right column). Roediger demonstrated it was known at the time of invention to have profilers that sampled (column 3, line 63 to column 4, line 13). It would have been obvious to one of ordinary skill in the art at the time of invention to implement Connors' profiling system with sampling abilities as found in Computing's and Roediger's teachings. This implementation would have been obvious because one of ordinary skill in the art would be motivated to make use of profiling techniques that allow quick production of useful information.

In regard to claim 12, the rejection of claim 11 immediately above is incorporated and further Computing and Connors disclosed the limitation *wherein periodically sampling comprises sampling a plurality of registers to obtain a set-value every S occurrences of a candidate reuse region, where S is a sampling period.* Computing demonstrated sampling every S occurrences, a regular basis (page 431, top right column). It would have been obvious to one of ordinary skill in the art at the time of invention to implement Connors' system of region reuse dependent on memory instructions with sampling on a regular basis as found in Computing's teachings. This implementation would have been obvious because one of ordinary skill in the art would be motivated to use a common method and therefore well understood method of gathering information for use in optimizing a computer system. Connors is shown to be profiling set-values (page 162-163, section 3.1)

In regard to claim 14, the rejection of claim 12 is incorporated and further Connors disclosed the limitation *incrementing a profile indicator at the record* (Connors: alters the record accordingly or else would be useless). Connors did not explicitly state *storing comprises accessing a record in the data structure as a function of the set-value.* This is merely a key into hashing. Computing demonstrated that it was known at the time of invention to use a key to access a table of information (page 221). It would have been obvious to one of ordinary skill in the art at the time of invention to implement Connors' storage of reuse information with the ability to use a single value (key) to

access such information as found in Computing's teaching. This implementation would have been obvious because one of ordinary skill in the art would be motivated to utilize a well-known technique of storing and accessing information quickly and easily. Connors' Computation Reuse Buffer is the data structure indexed into with the single value (page 162-163, section 3.1)

In regard to claim 15, the rejection of claim 12 is incorporated and further Connors, Roediger and Computing disclosed the limitations:

> i) *wherein periodically sampling further comprises sampling set-values in the plurality of registers at the beginning of a candidate reuse region* (Connors: page 165-166, sections 4.3 and 4.4; Connors describes determining the entry points into the reuse region and needing to profile them)
>
> ii) *the plurality of registers being input registers to the candidate reuse region* (Connors: page 162, first paragraph in section 3.1)

8.   Claims 7 are rejected under 35 U.S.C. 103(a) as being unpatentable over Connors et al., "Compiler-Directed Dynamic Computation Reuse: Rational and Initial Results" in view of Roediger et al. (USPN 5,960,198) as applied to claim 5 and in further view of Calder et al. "Value Profiling and Optimization".

In regard to claim 7, the rejection of claim 5 is incorporated, however Connors and Roediger did not explicitly state the limitation *wherein instrumenting further comprises*

inserting instructions to profile the top N occurring set-values, where N is chosen as a

function of an expected number of reuse instances. Calder demonstrated that it was

known at the time of invention to profile the top N occurring values (page 1-2,

Introduction). It would have been obvious to one of ordinary skill in the art at the time of

invention to implement Connors and Roediger's reuse profiling with profiling the top N

occurring values as found in Calder's teaching. This implementation would have been

obvious because one of ordinary skill in the art would be motivated to use Value

Profiling to its fullest as suggested by Connors' use of Value Profiling himself. Official

Notice is taken that it was known at the time of invention to base a number of profilings

on the expected number of instances. It would have been obvious to one of ordinary

skill in the art at the time of invention to implement Connors, Roediger and Calder with

the ability to capture N values if that number of reuse instances were expected to occur.

This implementation would have been obvious because one of ordinary skill in the art

would be motivated to provide as accurate as possible information during profiling,

which would include if possible profiling N values if N were expected.

8.   Claims 16, 17 and 20-22 are rejected under 35 U.S.C. 103(a) as being

unpatentable over Connors et al., "Compiler-Directed Dynamic Computation Reuse:

Rational and Initial Results" in view of Roediger et al. (USPN 5,960,198) in further view

of Calder et al. "Value Profiling and Optimization" in view of "Dictionary of Computing"

herein referred to as Computing.

In regard to claim 16, Connors disclosed the limitations:

i) *identifying a candidate load instruction* (page 164-165, section 4.2, reusability of memory operations)

ii) *executing the software* (page 164-166, section 4)

Connors did not explicitly state *instrumenting the software to sample a location-value every S occurrences of the candidate load instruction*. Roediger demonstrated that it was known at the time of invention to use instrumenting profilers (column 3, line 63 to column 4, line 13). It would have been obvious to one of ordinary skill in the art at the time of invention to implement Connors' profiler with instrumentation in order to acquire the needed information as found in Roediger's teaching. This implementation would have been obvious because one of ordinary skill in the art would be motivated to use a well known method of profiling to gather specifically required information. Calder demonstrated that it was known at the time of invention to profile for location-values in Value Profiling (page 16-23, section 6, especially page 16; page 5-11, section 3). It would have been obvious to one of ordinary skill in the art at the time of invention to implement Connors' system of region reuse dependent on memory instructions (a load being one of them) with Calder's Value Profiling mechanisms. This implementation would have been obvious because one of ordinary skill in the art would be motivated to use Value Profiling to its fullest as suggested by Connors' use of Value Profiling himself. Computing demonstrated sampling every S occurrences, a regular basis (page 431). It would have been obvious to one of ordinary skill in the art at the time of invention to implement Connors' system of region reuse dependent on memory instructions with

sampling on a regular basis as found in Computing's teachings. This implementation

would have been obvious because one of ordinary skill in the art would be motivated to

use a common method and therefore well understood method of gathering information

for use in optimizing a computer system.

In regard to claim 17, the rejection of claim 16 is incorporated and further Calder

disclosed the limitations:

        [i)] *inserting instructions in the software to count the number of times each location-*

        value is sampled (page 20, second full paragraph)

        [ii)] *inserting instructions in the software to keep track of top location-values* (page

        5-11, section 3)

In regard to claim 20, the rejection of claim 17 is incorporated and further Calder

disclosed the limitation *wherein inserting instructions to keep track to top location-values*

includes inserting sampling instructions configured to profile the top N occurrences of

location-values, where N is an integer (page 5-11, section 3).

In regard to claims 21 and 22, claim 21 is a machine readable medium claim

corresponding to the method claim 16 and rejected under the same reason set forth

under claim 16. The claim 22 is a machine readable claim corresponding to claim 17

and are rejected based upon the claim 16 rejection and the reasoning of claim 17.

9.   Claims 23 and 27 are rejected under 35 U.S.C. 103(a) as being unpatentable

over Connors et al., "Compiler-Directed Dynamic Computation Reuse: Rational and

Initial Results" in view of Calder et al. "Value Profiling and Optimization".

In regard to claim 23, Connors disclosed the limitations concerning profiling set-values

for selecting a canidate reuse region to be used based on probability (page 164-165,

section 4.2; page 158-159, Introduction), however Connors did not explicitly state

profiling top set-values to produce a probability the reuse region should be selected.

Calder demonstrated that it was known at the time of invention to utilize top values

(Calder: page 5-11, section 3). It would have been obvious to one of ordinary skill in

the art at the time of invention to implement Connors' set-values of reuse regions with

top values as found in Calder's teaching. This implementation would have been

obvious because one of ordinary skill in the art would be motivated to fully implement

the functionality of value profiling, which itself was suggested by Connors page 164.

In regard to claim 27, claim 27 is a machine readable medium claim corresponding to

the method claim 23 and rejected under the same reason set forth under claim 23.

10.   Claims 24-26 and 28 are rejected under 35 U.S.C. 103(a) as being unpatentable

over Connors et al., "Compiler-Directed Dynamic Computation Reuse: Rational and

Initial Results" in view of Calder et al. "Value Profiling and Optimization" as applied to

claim 23 and in further view of "Dictionary of Computing" herein referred to as

Computing.

In regard to claim 24, Connors did not explicitly state *for each set-value, combining*

each of the input register values into a single value. Computing demonstrated that it

was known at the time of invention to use a key to access a table of information (page

221). It would have been obvious to one of ordinary skill in the art at the time of

invention to implement Connors' storage of reuse information with the ability to use a

single value (key) to access such information as found in Computing's teaching. This

implementation would have been obvious because one of ordinary skill in the art would

be motivated to utilize a well-known technique of storing and accessing information

quickly and easily. Connors' Computation Reuse Buffer is the data structure indexed

into with the single value (page 162-163, section 3.1).

In regard to claim 25, Connors did not explicitly state *wherein accessing a data structure*

comprises accessing a data structure at least as large as a number of expected reuse

instances. Official Notice is taken that it was known at the time of invention to create a

structure large enough to hold all the expected values needed. It would have been

obvious to one of ordinary skill in the art at the time of invention to implement Connors'

Computation Reuse Buffer as being as large as necessary for all expected reuse

regions. This implementation would have been obvious because one of ordinary skill in

the art would be motivated to improve as much of the code as possible for better
optimization.

In regard to claim 26, Connors disclosed the limitations *wherein selecting comprises
marking as reuse regions those candidate reuse regions having a finite number of top
set-values that have probability of occurrence greater than a threshold* (page 159, left
column, first full paragraph; clearly some threshold must be used to gauge the
effectiveness of the profiling, which produced some heuristics).

In regard to claims 28, claim 28 is a machine readable medium claim corresponding to
the method claim 24 and rejected under the same reason set forth under claim 24.

11.   Claims 13 are rejected under 35 U.S.C. 103(a) as being unpatentable over
Connors et al., "Compiler-Directed Dynamic Computation Reuse: Rational and Initial
Results" in view of Roediger et al. (USPN 5,960,198) and in further view of "Dictionary
of Computing" herein referred to as Computing as applied to claim 12 and in further
view of Chang (USPN 5,933,628).

In regard to claim 13, the rejection of claim 12 is incorporated, however Connors,
Roediger and Computing did not explicitly state the limitations:

> [i) *identifying a group of control equivalent candidate region entries and candidate
> load instructions*

ⁱⁱ⁾ *inserting instructions prior to the group, wherein the instructions set a predicate*

register every S occurrences

ⁱⁱⁱ⁾ *inserting profiling instructions at each of the control equivalent candidate region*

entries and candidate load instructions, wherein the profiling instructions are

predicated on the predicate register

Chang demonstrated that it was known at the time of invention to use predicate

registers for decision control as in item iii) (Chang: column 5, line 52 to column 6, line

18). It would have been obvious to one of ordinary skill in the art at the time of invention

to implement Connors, Roediger and Computing's sampling and profiling of reuse

regions system with predicate registers utilized by code as found in Chang's teaching.

This implementation would have been obvious because one of ordinary skill in the art

would be motivated to reduce the amount of branches in the code and thus speed up

and lineate the whole operation. Official Notice is taken that it was known at the time of

invention to instrument code as little as possible and hence use a small section of

instrumentation code for multiple regions of the to be observed code, where possible as

in item i) and ii). Thus, It would have been obvious to one of ordinary skill in the art at

the time of invention to implement Connors, Roediger and Computing's sampling and

profiling of reuse regions system with functionality to insert small amounts of

instrumentation code which could observe several regions of the observable code. This

implementation would have been obvious because one of ordinary skill in the art would

be motivated to reduce the amount of damaging additional instrumentation code, and

thus improve the efficiency of the profiling operation by allowing the overall code to

behave as closely as possible to the original uninstrumented code. S occurrences is met in the same way as in claim 12 (Computing: page 431, top right column).

14.   Claims 18 and 19 are rejected under 35 U.S.C. 103(a) as being unpatentable over Connors et al., "Compiler-Directed Dynamic Computation Reuse: Rational and Initial Results" in view of Roediger et al. (USPN 5,960,198) and in further view of "Dictionary of Computing" herein referred to as Computing in view of Calder et al. "Value Profiling and Optimization" as applied to claim 16 and in further view of Chang (USPN 5,933,628).

In regard to claim 18, the rejection of claim 16 is incorporated, however Connors, Roediger, Calder and Computing did not explicitly state the limitations:

i) *identifying a group of control equivalent candidate region entries and candidate load instructions*

ii) *inserting instructions prior to the group, wherein the instructions set a predicate register every S occurrences*

iii) *inserting profiling instructions at each of the control equivalent candidate region entries and candidate load instructions, wherein the profiling instructions are predicated on the predicate register*

Chang demonstrated that it was known at the time of invention to use predicate registers for decision control (Chang: column 5, line 52 to column 6, line 18). It would have been obvious to one of ordinary skill in the art at the time of invention to implement

Connors, Roediger, Calder and Computing's sampling and profiling of reuse regions

system with predicate registers utilized by code as found in Chang's teaching. This

implementation would have been obvious because one of ordinary skill in the art would

be motivated to reduce the amount of branches in the code and thus speed up and

lineate the whole operation. Official Notice is taken that it was known at the time of

invention to instrument code as little as possible and hence use a small section of

instrumentation code for multiple regions of the to be observed code, where possible as

in item i) and ii). Thus, It would have been obvious to one of ordinary skill in the art at

the time of invention to implement Connors, Roediger, Calder and Computing's

sampling and profiling of reuse regions system with functionality to insert small amounts

of instrumentation code which could observe several regions of the observable code.

This implementation would have been obvious because one of ordinary skill in the art

would be motivated to reduce the amount of damaging additional instrumentation code,

and thus improve the efficiency of the profiling operation by allowing the overall code to

behave as closely as possible to the original uninstrumented code. S occurrences is

met in the same way as in claim 12 (Computing: page 431, top right column).

In regard to claim 19, the rejection of claim 17 is incorporated and further Calder

disclosed the limitations:

> i) *wherein the candidate region includes a plurality of candidate load instructions*
>
> (page 164-165, section 4.2; memory operations include load instructions)

Calder did not explicitly state *each of the plurality of load instructions being predicted on a common predicate register.* Chang demonstrated that it was known at the time of invention to use predicate registers for decision control (Chang: column 5, line 52 to column 6, line 18). It would have been obvious to one of ordinary skill in the art at the time of invention to implement Connors, Roediger, Calder and Computing's sampling and profiling of reuse regions system with predicate registers utilized by code as found in Chang's teaching. This implementation would have been obvious because one of ordinary skill in the art would be motivated to reduce the amount of branches in the code and thus speed up and lineate the whole operation.

Conclusion

15.   The prior art made of record and not relied upon is considered pertinent to applicant's disclosure as follows.

[a] Wu et al., "Better Exploration of Region-Level Value Locality with Integrated Computation Reuse and Value Prediction", taught a system of region reuse very similar to claimed invention. The publication date is after the claimed invention's filing date, but the authors are differing.

[b] Watterson et al., "Goal-Directed Value Profiling", taught using value profiling with excellent examples and use of regions of code. Publication date is after the claimed invention's filing date.

Correspondence Information

Any inquiry concerning this communication or earlier communications from the examiner should be directed to William H. Wood whose telephone number is (703)305-3305. The examiner can normally be reached 7:30am - 5:00pm Monday thru Thursday and 7:30am - 4:00pm every other Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Kakali Chaki can be reached on (703)305-9662. The fax phone numbers for the organization where this application or proceeding is assigned are (703)746-7239 for regular communications and (703)746-7238 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703)305-3900.

William H. Wood
February 3, 2003

KAKALI CHAKI
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2100